



Product Service

# CERTIFICATE

No. Z1 102425 0004 Rev. 00

**Holder of Certificate:** **ABS Safety GmbH**  
Gewerbering 3  
47623 Kevelaer  
GERMANY

**Certification Mark:**



**Product:** **Scaffold**  
**(Mobile working tower)**

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the Testing, Certification, Validation and Verification Regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** MES200220008986A00TR

**Valid until:** 2029-06-16

**Date,** 2025-02-19

( Luca Pitti )

# CERTIFICATE

No. Z1 102425 0004 Rev. 00

**Model(s):** ABS Ein-Personen-Arbeitsbühne;  
 ABS Klapp-Roll-Arbeitsbühne;  
 ABS Klapp-Roll-Arbeitsbühne Pro;  
 ABS Fahrbare Arbeitsbühne Breit 650;  
 ABS Fahrbare Arbeitsbühne Breit 950;  
 ABS Fahrbare Arbeitsbühne Schmal 650;  
 ABS Fahrbare Arbeitsbühne Schmal 950.

## Parameters:

SCAFFOLD				
Code Model	Max dimensions [m] [LxWxH]	Max standing height [m]	Dead Load [kg]	Castor Type Ø [mm]
ABS Ein-Personen-Arbeitsbühne	1,61x0,78x5,84 3,99x3,36x5,84*	4,4	134	200
ABS Klapp-Roll-Arbeitsbühne	1,96x0,73x3,28 2,48x1,25x3,28*	1,8	75	125
ABS Klapp-Roll-Arbeitsbühne Pro	1,96x0,73x7,5 4,44x3,21x7,5*	6	178	125
ABS Fahrbare Arbeitsbühne Breit 650	1,96x1,35x7,94 4,59x3,98x7,94*	6,5	238	200
ABS Fahrbare Arbeitsbühne Breit 950	1,96x1,35x10,96 4,59x3,98x10,96*	9,5	293	200
ABS Fahrbare Arbeitsbühne Schmal 650	1,96x0,73x7,94 4,59x3,36x7,94*	6,5	202	200
ABS Fahrbare Arbeitsbühne Schmal 950	1,96x0,73x10,96 4,59x3,36x10,96*	9,5	250	200

**Parameters:** Group according to EN 1004-1:2020 = 3

**Max. loading capacity:** 2,0 kN/m<sup>2</sup>

**Note:** \*with stabilizers

**Frame material:** EN AW6063 T5

**Rung material:** EN AW6063 T5

**Platform frame material:** EN AW6063 T5

**Platform material:** EN 636 Class Plywood (thickness=12 mm.)

**Toeboard material:** EN AW6063 T5

**Tested according to:** EN 1004-1:2020  
 EN 1004-2:2021  
 PPP 52015D:2022